


GBP

WE INSPIRE WORK



Founded in 1906, GBP Ergonomics AB is a leading producer of ergonomic workspaces in Scandinavia, supplying work stations, lockers, pedestals, trolleys, accessories and tool board systems to industry. Production and logistics are centred around the company's factory in Lammhult, Sweden.

Our belief in working in close collaboration with customers paves the way for the development of products and improved production methods. We are aware of the needs of the market, both nationally and internationally, and of the continually growing requirements for streamlining, not least in terms of the efficient use of minimal floor space.

GBP Ergonomics AB is certified in accordance with ISO 9001:2000 (2003) and conforms to environmental standard ISO 14001 (2003).



| | |
|------------------------------------|---------|
| work stations | 4 - 7 |
| work tops | 8 |
| work station accessories | 9 - 13 |
| work station accessories - drawers | 14 |
| racks and trolleys | 15 - 18 |
| perforated panels and hooks | 19 - 21 |



work stations

GBP has a wide range of work station frames for both lighter assembly work and for heavier workshop tasks and packaging.

The frames are available in a variety of widths and depths which, together with our wide range of accessories, provides a flexible system that suits your needs.

Add to that specially adapted products and a large range of work tops and we have one of the market's comprehensive ranges of workbench systems.

Manually adjustable work station - H frame

Light duty workstation frame with manual height adjustment. Wide range of sizes available, 5 lengths and 2 depths. Designed to accept all of the above and below bench accessories illustrated in this catalogue.

Maximum uniformly distributed load: 150Kgs.

Height range, work top excluded: 700 - 950mm

Can also be supplied with 4 no. 100mm dia. castors.

Height range including castors: 835 - 1075mm (without work top)

Work tops are ordered separately - see page 8



| Code | Product | Size | Weight |
|---|------------------------------------|--------------|--------|
| 34-110-2030 | Light H-Frame, manually adjustable | 790 x 585mm | 13Kgs |
| 34-100-2030 | Light H-Frame, manually adjustable | 1090 x 585mm | 15Kgs |
| 34-101-2030 | Light H-Frame, manually adjustable | 1490 x 585mm | 18Kgs |
| 34-102-2030 | Light H-Frame, manually adjustable | 1990 x 585mm | 21Kgs |
| 41-706-2030 | Light H-Frame, manually adjustable | 2490 x 585mm | 24Kgs |
| 34-109-2030 | Light H-Frame, manually adjustable | 790 x 765mm | 15Kgs |
| 34-105-2030 | Light H-Frame, manually adjustable | 1090 x 765mm | 18Kgs |
| 34-106-2030 | Light H-Frame, manually adjustable | 1490 x 765mm | 21Kgs |
| 34-107-2030 | Light H-Frame, manually adjustable | 1990 x 765mm | 24Kgs |
| 41-705-2030 | Light H-Frame, manually adjustable | 2490 x 765mm | 27Kgs |
| 34-006-2004 Castors, set of 4 for Light H-Frame | | | 4.2Kgs |


ErgoSingle work station

Aluminium column with sturdy, galvanised top and floor plates (495 x 495 x 8mm). Easy height adjustment. Securing the column to the floor is recommended to avoid the risk of tipping. Supplied with top and base plates, guiding unit and control unit for electrical connection. Designed to accept all of the above bench accessories illustrated in this catalogue.

Height adjustment: 690 - 1090mm (without work top)

Work tops are ordered separately (41-886-0001) - see page 8

Maximum uniformly distributed load: 150Kgs.



| Code | Product | Size | Weight |
|--|--|-----------------------------------|---------|
| 41-850-0001 | ErgoSingle work station | 495 x 495mm | 53Kgs |
| The dressed image shows the following additional components. | | | |
| 41-851-0001 | Extension frame to enable accessories to be added. | 720mm for centre to centre 670mm. | 6.7Kgs |
| 41-886-0001 | Sturdy Laminate Worktop | 800 x 600 x 40mm | 11.0Kgs |
| 41-926-0001 | Floor plate with adjustable feet | 495 x 495 x 8mm | 16.0Kgs |
| Other components can be found on pages 10 -13 and 20 - 21 | | | |

Work station accessories can be found on pages 10 - 13

Colour finish: Galvanised

Accessories, including clips, hooks and bins can be found on pages 20 - 21

ErgoMulti - motorised base

Medium duty workstation frame with motorized height adjustment from 685mm to 1135mm at 20mm/sec unloaded. Smooth Aluminium profile and incorporating cable management system to the rear. Designed to accept all of the above and below bench accessories illustrated in this catalogue.

Maximum uniformly distributed load: 250Kgs
 Speed with empty table: 20mm/sec unloaded
 Height adjustment: 685 - 1135mm (without work top)

Work tops are ordered separately - see page 8

| Code | Product | Size | Weight |
|-------------|-----------|--------------|--------|
| 41-839-0001 | ErgoMulti | 960 x 750mm | 52Kgs |
| 41-840-0001 | ErgoMulti | 1360 x 750mm | 56Kgs |
| 41-841-0001 | ErgoMulti | 1860 x 750mm | 60Kgs |
| 41-836-0001 | ErgoMulti | 960 x 550mm | 50Kgs |
| 41-837-0001 | ErgoMulti | 1360 x 550mm | 54Kgs |
| 41-838-0001 | ErgoMulti | 1860 x 550mm | 58Kgs |




ErgoMini II, motorised frame

Light duty workstation frame with motorized height adjustment. Simple but sturdy design with motors in each column. An extension frame, is required to enable the frame to accept accessories above work top height.

Maximum uniformly distributed load: 180Kgs
 Speed with empty table: 18mm/sec unloaded
 Height adjustment: 710 - 1160mm (without work top)

Work tops are ordered separately - see page 8

| Code | Product | Size | Weight |
|-------------|-------------|--------------|--------|
| 41-822-0001 | ErgoMini II | 1080 x 580mm | 39Kgs |
| 41-823-0001 | ErgoMini II | 1480 x 580mm | 42Kgs |
| 41-824-0001 | ErgoMini II | 1980 x 580mm | 48Kgs |
| 41-825-0001 | ErgoMini II | 1080 x 780mm | 39Kgs |
| 41-826-0001 | ErgoMini II | 1480 x 780mm | 42Kgs |
| 41-827-0001 | ErgoMini II | 1980 x 780mm | 48Kgs |



| Code | Product | Weight |
|-------------|--|--------|
| 41-800-7001 | Extension frame for base length 1080mm | 7.0Kgs |
| 41-801-7001 | Extension frame for base length 1480mm | 7.3Kgs |
| 41-802-7001 | Extension frame for base length 1980mm | 7.6Kgs |

Extension frame for ErgoMini II

Use the extension frame to enable accessories to be added to the ErgoMini II work station.

Work station accessories can be found on pages 10 - 13

Drawers can be found on page 14

Accessories, including clips, hooks and bins can be found on pages 20 - 21

Framework

Colour finish: Grey-White RAL 9002



Sturdy trestle, manual frame

Heavy duty trestles with manual height adjustment. Available in 2 depths, the trestles bolt directly into captive nuts in the 40mm thick work tops supplied separately. Extra rigidity can be achieved by adding a rear extension frame which also then allows the fitting of accessories above work top height.

Maximum uniformly distributed load: 500Kgs. (per pair of trestles)

Height adjustment: 835 - 1075mm (without work top)

Height adjustment: 835 - 1075mm (without work top)

Work tops are ordered separately - see page 8


| Code | Product | Depth | Weight |
|-------------|------------------------------|--------|--------|
| 35-500-2001 | Sturdy trestle (Single Unit) | 745mm | 10Kgs |
| 35-495-2001 | Sturdy trestle (Single Unit) | 545mm | 10Kgs |
| Code | Product | Length | Weight |
| 35-450-2001 | Extension frame | 1020mm | 5Kgs |
| 35-451-2001 | Extension frame | 1420mm | 7Kgs |
| 35-452-2001 | Extension frame | 1920mm | 9.5Kgs |
| 35-453-2001 | Extension frame | 2420mm | 12Kgs |



Extension frame

The extension frame is required when over-bench accessories are used.


Work station accessories can be found on pages 10 - 13



Solutions fitted to your needs

Every now and then there is a need for an adapted solution fitted to your needs.

Together with our customer we draw up a simple plan.




The idea turns in to a concrete solution and is presented in form of CAD-drawings.

When the plan has been approved the manufacturing starts.

Light duty laminate work tops

24mm thick Laminate faced work tops with Blue ABS edging as standard and balanced. Wood effect edging also available. Suitable for all frames except sturdy trestle, manual frame legs.




GBP can also offer work tops in tailored dimensions and with other surface finishes!

| Code | Product | Size | Finish |
|-------------|-----------------------------|-------------------|-------------------------------------|
| 41-712-0001 | Light Duty Laminate Worktop | 800 x 800 x 24mm | Light Beige Laminate / Blue Edgings |
| 41-713-0001 | Light Duty Laminate Worktop | 1200 x 800 x 24mm | Light Beige Laminate / Blue Edgings |
| 41-714-0001 | Light Duty Laminate Worktop | 1500 x 800 x 24mm | Light Beige Laminate / Blue Edgings |
| 41-715-0001 | Light Duty Laminate Worktop | 2000 x 800 x 24mm | Light Beige Laminate / Blue Edgings |
| 41-716-0001 | Light Duty Laminate Worktop | 2500 x 800 x 24mm | Light Beige Laminate / Blue Edgings |
| 41-727-0001 | Light Duty Laminate Worktop | 800 x 620 x 24mm | Light Beige Laminate / Blue Edgings |
| 41-728-0001 | Light Duty Laminate Worktop | 1200 x 620 x 24mm | Light Beige Laminate / Blue Edgings |
| 41-729-0001 | Light Duty Laminate Worktop | 1500 x 620 x 24mm | Light Beige Laminate / Blue Edgings |
| 41-730-0001 | Light Duty Laminate Worktop | 2000 x 620 x 24mm | Light Beige Laminate / Blue Edgings |
| 41-731-0001 | Light Duty Laminate Worktop | 2500 x 620 x 24mm | Light Beige Laminate / Blue Edgings |

Sturdy laminate work tops

40mm thick Laminate faced work tops with Blue ABS edging as standard and balanced. Wood effect edging also available. Suitable for all frames.



GBP can also offer work tops in tailored dimensions and with other surface finishes!

| Code | Product | Size | Finish |
|-------------|-------------------------|-------------------|-------------------------------------|
| 41-754-0001 | Sturdy Laminate Worktop | 1200 x 800 x 40mm | Light Beige Laminate / Blue Edgings |
| 41-755-0001 | Sturdy Laminate Worktop | 1500 x 800 x 40mm | Light Beige Laminate / Blue Edgings |
| 41-756-0001 | Sturdy Laminate Worktop | 2000 x 800 x 40mm | Light Beige Laminate / Blue Edgings |
| 41-757-0001 | Sturdy Laminate Worktop | 2500 x 800 x 40mm | Light Beige Laminate / Blue Edgings |
| 41-766-0001 | Sturdy Laminate Worktop | 1200 x 620 x 40mm | Light Beige Laminate / Blue Edgings |
| 41-767-0001 | Sturdy Laminate Worktop | 1500 x 620 x 40mm | Light Beige Laminate / Blue Edgings |
| 41-768-0001 | Sturdy Laminate Worktop | 2000 x 620 x 40mm | Light Beige Laminate / Blue Edgings |
| 41-769-0001 | Sturdy Laminate Worktop | 2500 x 620 x 40mm | Light Beige Laminate / Blue Edgings |
| 41-886-0001 | Sturdy Laminate Worktop | 800 x 600 x 40mm | Light Beige Laminate / Blue Edgings |



work station accessories

All of GBP's work stations can be supplemented with modular accessories.

For individual customisation of your work space, we offer a wide range of shelves, tool boards and associated accessories.

Perforated uprights

Uprights available in 3 different heights and can be attached anywhere along the rear of the GBP range of benches to accept over-bench accessories. Uprights are double sided so back to back benches only require a set of uprights between them.

Supplied in packs of 2.

Fixed to the bench using mounting kits 35-848-9001 sold separately - see below.

| Code | Product | Length | Pack Qty. | Weight |
|-------------|---------------------|--------|-----------|--------|
| 40-645-2002 | Perforated Uprights | 900mm | 2 | 4Kgs |
| 40-647-2002 | Perforated Uprights | 1446mm | 2 | 6Kgs |
| 40-649-2002 | Perforated Uprights | 1926mm | 2 | 8Kgs |

Mounting kit for perforated uprights

One mounting kit required per upright.

The kit includes 2 spring loaded square nuts, 2 screws and 2 washers.



| Code | Product | Weight |
|-------------|---|---------|
| 35-848-9001 | Mounting kit for one perforated upright | 0.05Kgs |

Cross bar for perforated uprights

Mounted between a pair of perforated uprights, the cross bar provides extra rigidity, particularly if overhead lighting and tool rails are being attached.

Available in 4 lengths.






| Code | Product | Length | Weight |
|-------------|-----------------------------------|--------|--------|
| 35-912-2001 | Cross bar for perforated uprights | 645mm | 0.8Kgs |
| 35-490-2001 | Cross bar for perforated uprights | 875mm | 1Kgs |
| 41-688-2001 | Cross bar for perforated uprights | 1350mm | 1.6Kgs |
| 41-289-2001 | Cross bar for perforated uprights | 1775mm | 2.0Kgs |

Perforated panel

Available in 2 widths. Panels have standard 9mm square holes at 38mm centres for accepting a wide range of suitable accessories from this catalogue. (Pages 20 & 21)

Can also be wall mounted.



| | | |
|----------------|---------------------|---|
| Panel | |  |
| Colour finish: | Blue RAL 5005 | |
| Framework | |  |
| Colour finish: | Grey-White RAL 9002 | |

| Code | Product | Size | Weight |
|-------------|------------------|-------------|--------|
| 35-909-1030 | Perforated panel | 640 x 480mm | 3.6Kgs |
| 35-856-1030 | Perforated panel | 870 x 480mm | 5Kgs |

Accessories, including clips, hooks and bins can be found on pages 20 - 21

Shelves

A range of cantilever shelves in 4 lengths and 3 depths, all of which can be assembled as a shelf with backstop or a tray, and then attached to the perforated uprights either horizontally or angled.

| Code | Product | Size | Maximum UDL | Weight |
|-------------|---------|--------------|-------------|--------|
| 35-871-2001 | Shelf | 645 x 210mm | 50Kgs | 2.8Kgs |
| 35-907-2001 | Shelf | 645 x 300mm | 50Kgs | 3.5Kgs |
| 35-872-2001 | Shelf | 875 x 210mm | 50Kgs | 3.4Kgs |
| 35-862-2001 | Shelf | 875 x 300mm | 50Kgs | 4.5Kgs |
| 40-776-2001 | Shelf | 875 x 457mm | 50Kgs | 5Kgs |
| 41-842-0001 | Shelf | 1350 x 300mm | 35Kgs | 7Kgs |
| 41-253-2001 | Shelf | 1775 x 300mm | 35Kgs | 10Kgs |




Suspension beam

A very simple means of presenting plastic storage bins, either horizontally or at an angle.

Maximum uniformly distributed load: 20Kgs

Plastic storage bins not included.



| Code | Product | Size | Weight |
|-------------|-----------------|------------|--------|
| 35-911-2001 | Suspension beam | 670 x 80mm | 1.4Kgs |
| 35-870-2001 | Suspension beam | 900 x 80mm | 1.9Kgs |



Framework

Colour finish: Grey-White RAL 9002



Accessories, including clips, hooks and bins can be found on pages 20 - 21

Fixed arm for C-rail

The fixed arm is mounted onto a perforated upright. A bracket is included with each C-rail. Brackets (35-923-9020) are used with C-rails for suspension of overhead tools and/or standard fluorescent light fittings.

Multiple C-rails can be used if required.
Maximum uniformly distributed load: 10Kgs



| Code | Product | Length | Weight |
|-------------|-----------|--------|--------|
| 35-903-2001 | Fixed arm | 700mm | 1.3Kgs |

End stop

Square nut with bolt for use with the C rail. To limit the travel of overhead tools and also very handy when fixing lighting to the C rail.



| Code | Product | Weight |
|-------------|----------|---------|
| 35-922-9001 | End stop | 0.03Kgs |

LED-lighting

A compact lighting unit with integrated LED lights used as both a vertical side lighting strip and as an horizontal light. Fits directly onto the perforated upright. Supplied complete with a transformer and transformer attachment with magnet for freedom of placement.



Framework
Colour finish: Grey-White RAL 9002



Transformer shown, attached to the perforated upright.

C-rail

Mounted onto fixed arms. Used for suspension of overhead tools and/or standard fluorescent light fittings.

Multiple C-rails can be used if required.



| Code | Product | Length | Weight |
|-------------|---------|--------|--------|
| 35-914-2001 | C-rail | 1200mm | 2.2Kgs |
| 35-905-2001 | C-rail | 1490mm | 2.5Kgs |
| 35-910-2001 | C-rail | 1990mm | 3Kgs |

Bracket for C-rail

Only required when more than one C rail is being used.



| Code | Product | Weight |
|-------------|--------------------|--------|
| 35-923-9020 | Bracket for C-rail | 0.2Kgs |

| Code | Product | Size | Finish | Weight |
|-------------|--------------|--------------|--------|--------|
| 41-796-0001 | LED lighting | 670 x 640mm | Silver | 4Kgs |
| 41-797-0001 | LED lighting | 900 x 640mm | Silver | 4.5Kgs |
| 41-798-0001 | LED lighting | 1375 x 640mm | Silver | 5Kgs |
| 41-799-0001 | LED lighting | 1800 x 640mm | Silver | 6Kgs |

CPU-holder

Hassle-free and quickly assembled model that fits both horizontal and vertical CPU.



| Code | Product | Finish | Weight |
|-------------|------------|--------|--------|
| 40-669-0001 | CPU holder | Silver | 0.7Kgs |

Flexible flat screen holder

Flexible arm with VESA 75/100 flat screen holder and keyboard shelf. Mouse pad can be left or right hand.

Maximum load: 15Kgs.



| Code | Product | Weight |
|-------------|--|--------|
| 42-083-2001 | Flexible arm with flat screen and keyboard holder, mouse pad left/right. | 5Kgs |

Pull-out keyboard shelf

Useful pull out shelf to fit any of the GBP range of benches as well as other workstations. Mouse pad can be left or right hand.

Shelf dimensions: 565 x 470 x 95mm.

Mouse mat plate dimensions: 565 x 210 x 9mm.

Maximum uniformly distributed load capacity: 20Kgs



| Code | Product | Weight |
|-------------|-------------------------|--------|
| 40-611-2001 | Pull-out keyboard shelf | 3.6Kgs |

Flexible arm flat screen holder

Flexible arm with fully rotating universal holder for mounting VESA 75/100 compatible flat screens only.

Maximum uniformly distributed load capacity: 15Kgs



| Code | Product | Weight |
|-------------|---------------------------------------|--------|
| 40-669-2001 | Flexible arm with flat screen holder. | 3Kgs |

Framework

Colour finish: Grey-White RAL 9002



Storage drawer unit, height 270 mm

Mounted in the frame with help of suspension profiles or screwed directly on heavy duty work top* (40 mm).

Maximum uniformly distributed load for drawer unit: 100Kgs

Maximum uniformly distributed load for drawers: 25Kgs



40-552-2101



40-553-2101

| Code | Product | Size H x W x D | Drawers | Finish | Weight |
|-------------|-------------------------|-------------------|---------------------------|--------------|--------|
| 40-552-2101 | Drawer unit for storage | 270 x 375 x 485mm | 2 x 100mm deep | Beige / Blue | 16Kgs |
| 40-553-2101 | Drawer unit for storage | 270 x 375 x 485mm | 1 x 50mm / 1 x 150mm deep | Beige / Blue | 16Kgs |

Storage drawer unit, height 380 mm

Mounted in the frame with help of suspension profiles or screwed directly on heavy duty work top* (40 mm).

Maximum uniformly distributed load for drawer unit: 100Kgs

Maximum uniformly distributed load for drawers: 25Kgs



40-554-2101



40-555-2101

Suspension profiles

Suspension profile for drawer units.

Supplied in pairs.



36-519-2002 / 36-520-2002



41-898-0001 / 41-899-0001

Drawer Front

Colour finish:

Blue RAL 5005



Cabinet


Colour finish:

Grey-White RAL 9002



| Code | Product | Size H x W x D | Drawers | Finish | Weight |
|-------------|-------------------------|-------------------|-------------------------------------|--------------|--------|
| 40-554-2101 | Drawer unit for storage | 380 x 375 x 485mm | 3 x 100mm deep | Beige / Blue | 22Kgs |
| 40-555-2101 | Drawer unit for storage | 380 x 375 x 485mm | 1 x 50mm / 1 x 100 / 1 x 150mm deep | Beige / Blue | 21Kgs |


| Code | Product | Frame Depth | Weight |
|-------------|---|-------------|--------|
| 36-519-2002 | Suspension profile for H frame & cantilever frame work stations | 585mm | 2.3Kgs |
| 36-520-2002 | Suspension profile for H frame & cantilever frame work stations | 780mm | 2.3Kgs |
| 41-898-0001 | Suspension profile for ErgoMini II | | 1Kgs |
| 41-899-0001 | Suspension profile for ErgoMulti | | 1Kgs |



racks and trolleys

Racks that can be placed alone or be mounted together to form rows. GBP's series of accessories also fits the rack system, which makes it a flexible system that can be fitted into most spaces.

With help of GBP's mobile trolleys you can easily move components/tools to and from the work space. Supplement our trolleys with accessories to fit your needs. Our trolleys can be customised - just let us know what your specific needs are.



Single rack, base section

Kit includes 2 uprights with welded L-foot, 2 cross bars 875mm wide.

Available in 2 heights.

Accessories can only be mounted on the front side of the single rack.

Maximum uniformly distributed load: 100Kgs

| Code | Product | Size H x W x D | Maximum UDL | Weight |
|-------------|---------------------------|--------------------|----------------|--------|
| 40-710-2001 | Single rack, base section | 1500 x 920 x 415mm | 150Kgs | 11Kgs |
| 40-715-2001 | Single rack, base section | 2000 x 920 x 415mm | 150Kgs | 13Kgs |



Single rack, add-on section

Kit includes 1 upright with welded L-foot, 2 cross bars 875mm wide.

Available in 2 heights.

Accessories can only be mounted on the front side of the single rack.

Maximum uniformly distributed load: 100Kgs

| Code | Product | Size H x W x D | Maximum UDL | Weight |
|-------------|-----------------------------|--------------------|----------------|--------|
| 40-711-2001 | Single rack, add-on section | 1500 x 920 x 415mm | 100Kgs | 7Kgs |
| 40-716-2001 | Single rack, add-on section | 2000 x 920 x 415mm | 100Kgs | 8Kgs |



Double rack, base section

Kit includes 2 uprights with welded T-foot, 2 cross bars 875mm wide.

Available in 2 heights.

Accessories can be mounted on both sides of the rack.

Maximum uniformly distributed load: 150Kgs

| Code | Product | Size H x W x D | Maximum UDL | Weight |
|-------------|---------------------------|--------------------|----------------|--------|
| 40-720-2001 | Double rack, base section | 1500 x 920 x 610mm | 150Kgs | 12Kgs |
| 40-725-2001 | Double rack, base section | 2000 x 920 x 610mm | 150Kgs | 15Kgs |



Double rack, add-on section

Kit includes 2 uprights with welded T-foot, 2 cross bars 875mm wide.

Available in 2 heights.

Accessories can be mounted on both sides of the rack.

Maximum uniformly distributed load: 150Kgs

| Code | Product | Size H x W x D | Maximum UDL | Weight |
|-------------|-----------------------------|--------------------|----------------|--------|
| 40-721-2001 | Double rack, add-on section | 1500 x 920 x 610mm | 100Kgs | 8Kgs |
| 40-726-2001 | Double rack, add-on section | 2000 x 920 x 610mm | 100Kgs | 10Kgs |

**Perforated panels can be found on page 10.
Cantilever shelves can be found on page 11.**

Framework
Colour finish: Grey-White RAL 9002



Panel accessories, including clips, hooks and bins can be found on pages 20 - 21



Perforated uprights

Uprights available in 3 different heights.

Supplied in packs of 2.

| Code | Product | Length | Pack Qty. | Weight |
|-------------|---------------------|--------|-----------|--------|
| 40-645-2002 | Perforated Uprights | 900mm | 2 | 4Kgs |
| 40-647-2002 | Perforated Uprights | 1446mm | 2 | 6Kgs |
| 40-649-2002 | Perforated Uprights | 1926mm | 2 | 8Kgs |

L-foot

Used with perforated uprights and cross bars to construct single racks in lengths and widths of your choice. The upright is mounted onto the foot.

Foot length: 420mm

Maximum load uniformly distributed weight: 100Kgs

| Code | Product | Weight |
|-------------|---------|--------|
| 35-417-2001 | L-foot | 1.2Kgs |



Cross bar for perforated upright

The cross bar is mounted between two perforated uprights to increase stability.

Two cross bars per rack are required.



| Code | Product | Length | Weight |
|-------------|-----------------------------------|--------|--------|
| 35-912-2001 | Cross bar for perforated uprights | 645mm | 0.8Kgs |
| 35-490-2001 | Cross bar for perforated uprights | 875mm | 1Kgs |

T-foot

Used with perforated uprights and cross bars to construct double racks in lengths and widths of your choice. The upright is mounted onto the foot.

Foot length: 610mm

Maximum load uniformly distributed weight: 150Kgs


| Code | Product | Weight |
|-------------|---------|--------|
| 35-429-2001 | T-foot | 1.5Kgs |



41-789-2030 Base section with two add-on sections

Hooks and picking bins are not included.



Panel
Colour finish: Blue RAL 5005 

Framework
Colour finish: Grey-White RAL 9002 

Perforated panels can be found on page 10.
Cantilever shelves can be found on page 11.

Panel accessories, including clips, hooks and bins can be found on pages 20 - 21

Assembly Trolley

For modular accessories, including base shelf and push handle. 4 swivel castors Ø125 mm 2 fitted with brakes.

The overall height is measured from the floor.

Accessories can be mounted on one or both sides of a trolley.

Maximum uniformly distributed load: 150Kgs



| Code | Product | Size | | | Weight |
|-------------|------------------|------|-----|-------|--------|
| | | H | W | D | |
| 35-307-2001 | Assembly trolley | 1655 | 920 | 613mm | 23Kgs |

Assembly trolley - Type 1

Includes:

- 1 x assembly trolley 35-307-2001
- 1 x tool board 35-856-1030
- 8 x plastic storage bins 41-370-0004
- 1x suspension beam 35-870-2001
- 1x shelf 35-865-2001
- 4 x plastic storage bins 41-372-0005



| Code | Product | Size | | | Weight |
|-------------|---------------------------|------|-----|-------|--------|
| | | H | W | D | |
| 41-785-2030 | Assembly trolley Set-up 1 | 1655 | 920 | 613mm | 40Kgs |

Assembly trolley - Type 2

Includes:

- 1 x assembly trolley 35-307-2001
- 1 x tool board 35-856-1030
- 1 x suspension beam 35-870-2001
- 1 x shelf, depth 210 mm 35-872-2001
- 1 x shelf, depth 300 mm 35-862-2001
- 1 x shelf, depth 613 mm 35-865-2001




| Code | Product | Size | | | Weight |
|-------------|---------------------------|------|-----|-------|--------|
| | | H | W | D | |
| 41-786-2030 | Assembly trolley Set-up 2 | 1655 | 920 | 613mm | 47Kgs |

Assembly trolley - Type 3

Includes:

- 1 x assembly trolley 35-307-2001
- 3 x tool boards 35-856-1030



| Code | Product | Size | | | Weight |
|-------------|---------------------------|------|-----|-------|--------|
| | | H | W | D | |
| 41-787-2030 | Assembly trolley Set-up 3 | 1655 | 920 | 613mm | 38Kgs |

Panel
Colour finish: Blue RAL 5005 

Framework
Colour finish: Grey-White RAL 9002 

**Perforated panels can be found on page 10.
Cantilever shelves can be found on page 11.**

Panel accessories, including clips, hooks and bins can be found on pages 20 - 21



hooks and accessories for perforated panels

GBP's range of hooks includes some 50 hooks for various purposes.

The accessories hook onto the perforation of the plate and are locked with a stop screw. GBP's hooks fit all of the perforated panels regardless of if they are mounted in cupboards, on trolleys or on work stations.

Dimension of holes 9mm, distance between holes 38mm.

Ring hook

Ring hook in three different sizes.

Supplied in 5 per pack.



35-760-9005

35-761-9005

35-762-9005

| Code | Product | Pack Qty. |
|-------------|------------------|-----------|
| 35-760-9005 | Ring hook Ø 40mm | 5 |
| 35-761-9005 | Ring hook Ø 60mm | 5 |
| 35-762-9005 | Ring hook Ø 80mm | 5 |

Spring clamp

In various sizes for suspension of screwdrivers and other smaller hand tools of your choice.

Supplied in 5 per pack.



35-765-9005

35-766-9005

35-767-9005

35-768-9005

| Code | Product | Pack Qty. |
|-------------|------------------|-----------|
| 35-765-9005 | Ring hook Ø 6mm | 5 |
| 35-766-9005 | Ring hook Ø 12mm | 5 |
| 35-767-9005 | Ring hook Ø 18mm | 5 |
| 35-768-9005 | Ring hook Ø 25mm | 5 |

Pipe holder

Hook in three different sizes, designed exclusively for suspension of plastic holders.

Supplied in 5 per pack complete with hook and plastic holder.



41-895-9005

41-896-9005

41-897-9005

| Code | Product | Height | Pack Qty. |
|-------------|-----------------------|--------|-----------|
| 41-895-9005 | Pipe holder Ø 13-11mm | 50mm | 5 |
| 41-896-9005 | Pipe holder Ø 26-22mm | 75mm | 5 |
| 41-897-9005 | Pipe holder Ø 38-24mm | 75mm | 5 |

Bin holder

Hook adapted for suspension of small storage bins.

Supplied in 5 per pack with or without plastic storage bins.



35-775-9005

41-803-9005

| Code | Product | Size |
|-------------|-------------------------------------|------------|
| 35-775-9005 | Bin holder - only | 105 x 45mm |
| 41-803-9005 | Bin holder with plastic storage bin | |

Cup

Supplied in 1 per pack.



| Code | Product | Height | Pack Qty. |
|-------------|-------------|--------|-----------|
| 35-780-9001 | Cup Ø 104mm | 23mm | 1 |

Screwdriver rack

Available in two different versions:

- 1) projecting from the panel, length 220mm fits 7 screwdrivers.
- 2) mounted along the panel, length 238mm fits 6 screwdrivers.

Supplied in 1 per pack



35-782-9001



35-785-9001

| Code | Product | Size | Pack Qty. |
|-------------|------------------|-----------------------|-----------|
| 35-782-9001 | Screwdriver rack | 220mm projecting | 1 |
| 35-785-9001 | Screwdriver rack | 238mm along the panel | 1 |

Drill rack

Length 240mm, fits 32 different drill bits.

Supplied in 1 per pack




| Code | Product | Length | Pack Qty. |
|-------------|------------|--------|-----------|
| 35-792-9001 | Drill rack | 240mm | 1 |

Screwdriver rack

Intended for 5 screwdrivers.

Supplied in 1 per pack



| Code | Product | Length | Pack Qty. |
|-------------|------------------|--------|-----------|
| 35-703-9001 | Screwdriver rack | 150mm | 1 |

Socket rack

Available in two different designs, 127mm that fits 5 sockets and 250mm that fits 8 sockets.

Supplied in 1 per pack



35-704-9001




35-706-9001

| Code | Product | Length | Pack Qty. |
|-------------|---------------------------|--------|-----------|
| 35-704-9001 | Socket rack for 5 sockets | 127mm | 1 |
| 35-706-9001 | Socket rack for 8 sockets | 250mm | 1 |

Socket spanner rack

Intended for suspension of 5 socket spanners.

Supplied in 1 per pack




| Code | Product | Length | Pack Qty. |
|-------------|------------------------------------|--------|-----------|
| 35-705-9001 | Socket spanner rack for 5 spanners | 150mm | 1 |

Ring spanner rack

Available in two different designs, that fits 7 or 10 ring spanners.

Can also be used as a socket holder.

Supplied in 1 per pack



35-701-9001



35-702-9001

| Code | Product | Length | Pack Qty. |
|-------------|-----------------------------------|--------|-----------|
| 35-701-9001 | Ring spanner rack for 7 spanners | 150mm | 1 |
| 35-702-9001 | Ring spanner rack for 10 spanners | 250mm | 1 |

GBP

WE INSPIRE WORK

OfficeSTOR
"making your space work better for you"

OfficeSTOR

Unit 11a

Mill Common

Huntingdon

PE29 3AU

T: +44 (0)1480 458443

F: +44 (0)1480 458543

Email: info@officestor.co.uk

Web: www.officestor.co.uk