







Maximising Office and Industrial space



ORIENT LONGSPAN RACKING

- Our longspan racking is the perfect solution for a range of storage requirements, from small components to heavy duty items.
- It can be built in runs, with uninterrupted spans of up to 3000mm.
- Extremely quick and easy to setup, with 3 main components assembled frames, clip in beams and "drop in" chipboard decks.
- Shelves can be positioned every 50mm and the floor can be used for additional space. No ground level beam required.
- Held in stock, for immediate delivery.
- Galvanised shelves available, for shelf widths up to 2400mm Long.
- Up to 400kg uniformly distributed load per level.
- FREE frame assembly on every order.











FRAMES					
HEIGHT	450mm	DEPTH 600mm	750mm	900mm	
2000mm 2400mm 3000mm 4000mm	* * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *		
BEAMS					
900mm 1500mm 2100mm 2700mm	* * * * * * * * * * * * * * * * * * *	1200mm 1800mm 2400mm 3000mm	* * * * * * * * * * * * * * * * * * *		
1800mm (tubular)	~				



CHIPBOARD SHELVES






Available in all sizes

STEEL PANELS To be used with beams only up to 2400mm



Call for more information

ACCESSORIES







ORIENT PALLET RACKING

- Orient Pallet Racking Frames available from Standard to Heavy with nominal bay load capacities from 8,000kg to 12,000kg.
- Five Standard Stock Heights from 3000mm to 10,000mm and two standard widths 900mm and 1100mm.
- The Frames are of bolted construction, and can be delivered to site in either KD form or Pre-Assembled.
- Storage beams are fully adjustable on a 3" (76.2mm) increment and can be adjusted at any time without the need for either tools or skilled labour.
- Storage beams are fitted with automatic safety locks, avoiding accidentally dislodging a beam during normal operations with a fork lift truck.
- Wide range of sizes available for any application.
- Held in stock.











DEPTH

		900mm	1100mm		
	HEIGHT 80mm Frames - 8000kgs loading: multi bays, 1st level no more than 1829mm				
FRAMES	3048mm 4039mm 4953mm	* *	* * *		
FRAMES	HEIGHT 90mm Frames - 10,000kgs loading: multi bays, 1st level no more than 1829mm				
TIVAMES	5029mm 6096mm 10,058mm	Limited stock held	Limited stock held		
FRAMES	HEIGHT 105mm Frames - 12,000kgs loading: multi bays, 1st level no more than 1829mm				
	6096mm	~	~		
BEAMS	1350mm (1000kgs) 1800mm (2000kgs) 2300mm (2000kgs) 2700mm (2000kgs) 2700mm (3000kgs) 3300mm (3000kgs) 3600mm (3000kgs)	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *		
RACKING	A.A.				















TIMBER DECKING













ORIENT CANTILEVER RACKING

Our Cantilever Racking is the perfect, cost effective storage solution for long & awkward items.

Each bay comes complete with 3* arms per upright with end stops to secure any loose products from falling. Uprights can be spaced at 1000mm or 1500mm apart with bracing so you can build runs as starter and extension bays.

Arms are fully adjustable at every 100mm and are available in either 500mm or 1000mm in length to suit a wide range of applications.

- Height 2575mm
- Bay centre's 1000mm or 1500mm Loading up to 500kg per arm
- Arm Length 500mm or 1000mm













ORIENT RIVET SHELVING

Our Rivet Shelving is the perfect solution for a range of storage requirements, from light industrial to commercial and retail use.

It can be built in runs, with uninterrupted spans of 900mm or 1200mm. Extremely quick and easy to setup, no nuts, and bolts. Shelves are fully adjustable and comes in a wide range to suit all applications. Each bay is supplied with either 4 or 5 levels. Please specify upon request.

- Height 2000mm or 2400mm
- Width 900mm or 1200mm
- Depth 400mm or 600mm
- Loading up to 100kg per level










Our other products:

- Mesh cages & Patritions
- High density storage
- Materials handling equipment
- Workbenches



Contact us

Email: info@officestor.co.uk Web: www.officestor.co.uk Call us: 07948 246969 / 01480 458443